



SP C352DN

Color Printer

- Z Printer
- \Box Copier
- □ Facsimile
- □ Scanner







Enjoy big performance with a compact color printer

Need a fast printer that produces brilliant color output but doesn't take up much space? For small offices, midsize workgroups and larger corporations, the affordable Savin SP C352DN Color Printer offers exceptional performance in a compact footprint. With a variety of media options, you can print many types of documents to meet your ongoing business needs. The 4.3" touch-screen panel lets you make setting adjustments and move between jobs easily and efficiently. Plus, with a number of software applications available, you can streamline print processes and maintain consistency across your current fleet. Mobile support is also available to help you expedite tasks by printing from your smart device or tablet. The SP C352DN is an eco-friendly printer that lets you increase productivity while helping you reduce long-term costs.

Get high quality without sacrificing speed

Move quickly to meet demands and still deliver professional-quality documents. Whether producing black-and-white or color documents, you can print up to 30 pages per minute (ppm). Plus, with LED imaging technology, you won't lose speed, even when printing 1200 x 1200 maximum dpi resolution. A powerful 1.46 GHz Intel Processor and standard 2 GB RAM let you print complex documents with vibrant color without slowing down. Opt for the 320 GB Hard Disk Drive (HDD), and save frequently used forms for on-demand reprints.



Make security a top priority

Choose from a number of ways to help safeguard data. The printer's standard USB host interface lets you connect a proximity card reader, so you can use employee ID cards to control access. IP address filtering restricts access to your printer by ignoring non-authorized IP addresses. With the optional HDD, you can help protect locally stored and archived documents with encryption and DataOverwriteSecurity System (DOSS), which erases all latent data. Plus, you can enhance document protection and reduce paper consumption with Locked Print, which requires employees to enter passcodes at the device to release print jobs.

Enjoy flexible media options

With the SP C352DN, you can print a wide range of materials with versatile media support, including a 2,100-sheet maximum paper capacity' with up to five independent paper sources. The standard tray supports paper sizes up to 8.5" x 14" legal-size paper, so you can accommodate a variety of printing requests. With the bypass tray, you can print on envelopes and large 8.5" x 49.6" banners. Stay productive with up to three additional paper trays, and set custom paper sizes for each tray to fit your needs. You'll wow your audience with vivid color and crisp text on customized proposals, presentations and more. Plus, all paper trays support thicker paper types—including cardstock and 120 lb. Index paper—to raise the quality of your materials.







Make printing affordable, easy and eco-friendly

Keep operating costs low and productivity high

You want a durable printer that can help save you time and money. With a low average cost per page (CPP), you'll enjoy long-term savings. Plus, our high-yield toners can deliver up to 10,000 pages per cartridge², helping to reduce the number of times toner needs to be replaced. The SP C352DN is a powerful workhorse that can print up to 7,500 pages per month so your business doesn't have to slow down. To maximize uptime and keep your printer running smoothly for years to come, utilities such as @Remote and Web Image Monitor make it easy to manage and maintain your device remotely. Reduce costs by tracking employee usage and adding volume restrictions to conserve paper and toner.



Simplify and speed up print tasks

Introduce the SP C352DN to your office with the comfort of knowing that users can adapt quickly and work fast. The SP C352DN has a 4.3" intuitive touch panel to make navigating tasks and adjusting settings a breeze for any user. Customize the color touch panel and prioritize icons on the screen to fit your company's workstyle. Plus, standard Gigabit Ethernet lets you transmit data quickly across your network. Make printing even more convenient by processing tasks from your smart phone, tablet or laptop with AirPrint for Apple[®], Wi-Fi Direct or Smart Device Connector—without the need to install software or drivers.



Reduce energy cost and environmental impact

Don't worry about being environmentally conscious—let the SP C352DN do it for you. With ENERGY STAR[®] certification and an EPEAT[®] Silver³ rating, you'll minimize your impact on the environment with a small carbon footprint, and cut costs with low energy usage. ECO-Night Sensor powers down your printer when the lights go out and powers back on when it senses light, so you're ready for the workday. With the Eco-Friendly Indicator, you can track how often color, duplex and combined printing are used to help control costs. A Typical Electricity Consumption (TEC) value of 1.23 kWH per week will help you save even more in the long run.

- ¹ Total capacity with combination of included and optional paper trays.
- ² Maximum yield for black toner only. Color cartridges can yield up to 9,000 pages each. (ISO/IEC 19798)

³ EPEAT Silver rating is only applicable in the USA.



To view detailed features of our products online go to www.savin.com/products

Savin SP C352DN

SYSTEM SPECIFICATIONS

Engine Specificati	
Configuration	Desktop
Technology	LED
Color/B&W	Color
Printing Process	Electro-photographic printing
Toner Type	Dry, single component
B&W Print Speed	30 ppm
(Letter)	7.500
Maximum Monthly	7,500 prints
Volume	75.000
Maximum Monthly	75,000 prints
Duty Cycle	Color 7.0 conside (DO)A/ Considerate
First Page Out Time	Color 7.8 seconds/B&W 6 seconds
Warm-up Time	18 seconds
Print Resolution	Up to 1200 x 1200 dpi
Standard Paper	1 x 500-sheet tray + 100-sheet
Capacity Maximum Paper	bypass tray 2,100 sheets
Capacity	2,100 sheets
Standard Output	200 sheets
Capacity	200 3112213
Supported Paper Sizes	Paper Tray: 3.25" x 5.83" - 8.5" x 14.01"
Bypass Tray	2.52" x 5" - 8.5" x 49.60"
Supported Paper	All Trays: 15-59 lb. bond (56-220g/m ²)
Weights	Duplex: 15-43 lb. bond (56-163g/m ²)
Supported Paper Types	Plain paper, middle-thick paper, thick
	paper 1 to 2, thin paper, recycled
	paper, special paper 1 to 5, color paper,
	letterhead, preprinted, bond, cardstock,
	label paper, glossy paper, coated paper,
	envelopes
Duplexing	Automatic (standard)
Dimensions (W x D x H)	15.7" x 20.3" x 15.2"
	(400 x 515 x 387 mm)
Weight	72.75 lbs. (33 kg)
Power Consumption	Color 488 W, B&W: 463 W
(Operating)	
Power Consumption	0.54 W
(Sleep Mode)	
Typical Electricity	1.23 kWh/week
Consumption (TEC)	0 C assessed
Recovery from	8.5 seconds
Sleep Mode Power Requirements	120 127 \//60 117
ENERGY STAR	120-127 V/60 Hz Certified
EPEAT	Silver
Controller Specifie	ations
Processor Speed	1.46 GHz
Memory	2 GB RAM
(Standard/Maximum)	

Cor Proc

Men (Standard/Maximum) Hard Disk Drive 320 GB (optional) Maximum Stored 950 documents* Documents Maximum Stored Pages Connection Type

1,000 pages* Standard: Gigabit Ethernet (1000BASE-T/100BASE-Tx/10BASE-T), USB 2.0 Type B, USB 2.0 Type A Optional: IEEE1284/ECP, IEEE802.11a/b/g/n

Printer Languages Standard: PCL6/5c, PostScript3, PDF Direct Optional: Adobe® PostScript®3", PDF Direct from Adobe* Mobile Device Support AirPrint[®], Smart Device Connector Standard: PCL: 93 fonts, PS3: 80 fonts Optional: Adobe PS3/PDF: 136 fonts Font Support TCP/IP, (IPv4, IPv6) Server 2008 / Server 2008 R2 / Server Network Protocols Supported Operating 2012 / Server 2012 R2, Vista/ 7 / 8 / 8.1 / 10 (32 bit, 64 bit) Systems MacOS X 10.8–10.11 (El Capitan) Standard: Web Image Monitor, @Remote Device Management Utilities Optional: Device Manager NX Series

Printer Features

Sample Print*, Locked Print*, Hold Print*, Stored Print*, Reduce/ Enlarge (Scaling), Collate, Custom Media Type, Layout (N-up), Poster, Front and Back Cover Sheets, Slip Sheets, Mirror Image Print, Dithering, Economy Color, Watermark, Header/Footer, User ID, User Code, Billing Code, Rotate Print, Booklet (Magazine), Black Over Brint Grav Beorgeduction, Color Breith, Booklet (Magazine), Black Over Print, Gray Reproduction, Color Profile, CMYK Simulation, Banner Page Print, Unauthorized Copy Prevention (Print) *Hard Disk Drive required

Controller Options

Hard Disk Drive Option Type P12 XPS Direct Print Option Type P12 PostScript3 Unit Type P12 VM Card Type P8 USB Device Server Option Type M19A IEEE 802.11 Interface Unit Type M24 IEEE 1284 Interface Board Type M19

Security Features

HDD Data Overwrite Security, Windows Authentication, LDAP HDD Data Overwrite Security, Windows Authentication, LDAP Authentication, Basic Authentication, User Code Authentication, 802.1 X Wired Authentication, Address Book Encryption, Authentication Password Encryption, SSL Communication, S/MIME, IPSec Communication, HDD Encryption, SMTP over SSL/ TLS, Transport Layer Security (TLS), Wireless LAN Network Protocol On/Off, IP filtering (Access Control), Mask Type for Copying/Data Security for Copying, Unauthorized copy prevention (Print), Quota Setting/Account Limit, SMTP over SSL, Compulsory security stamp

500 sheets

5.5" x 8.27" - 8.5" x 14.01"

15-59 lb. bond (56-220g/m²)

Hardware Options

Paper Feed Unit

Weight

Weight

TK1230 Paper Capacity Supported Paper Sizes

250 sheets 5.5" x 8.27" - 8.5" x 14.01" Supported Paper 15-59 lb. bond (56-220g/m²) Dimensions (W x D x H)

15.75" x 20.28" x 3.75" (400 x 515 x 95 mm) 12.3 lbs (5.6 kg)

Paper Feed Unit TK1240

Paper Capacity Supported Paper Sizes Supported Paper Weight

Weight Low Cabinet Type O

Dimensions (W x D x H) Weight

Dimensions (W x D x H)

Tall Cabinet Type N Dimensions (W x D x H) Weight

Consumables & Yields

Print Cartridge Black SP C352A	10,000 pages*
Print Cartridge Cyan SP C352A	9,000 pages*
Print Cartridge Magenta	9,000 pages*
Print Cartridge Yellow	9,000 pages*
Black Drum Unit SP C352	15,000 pages
Color Drum Unit SP C352	12,000 pages
Fusing Unit SP C352 Transfer Unit SP C352 Waste Toner Bottle SP C352	150,000 pages 100,000 pages 13,000 pages

*Declared yield values in accordance with ISO/IEC 19798. Actual yields may vary based on images printed and other factors

The Savin SP C352DN ships with starter toner that yields 3,500 pages Color/4,000 pages B&W (ISO/IEC 19798)

For maximum performance and yield we recommend using genuine Savin parts and supplies.

Warranty

The Savin SP C352DN is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever comes first. Please refer to warranty documents shipped with the product for more details. Genuine Adobe[®] PostScript^{*3™} and PDF Direct from Adobe[®] are available as options

Pantone License is pending.

Specifications are subject to change without notice.

Some options may not be available at the time of market release.

www.savin.com

Ricoh USA, Inc., 70 Valley Stream Parkway, Mahern, PA 19355, 1-877-472-8460 @2017 Ricoh USA, Inc. All rights reserved. Savin[®] and the Savin logo are registered trademarks of Ricoh USA, Inc. Ricoh[®] and the Ricoh Logo are registered trademarks of Ricoh Company Ltd. All other trademarks are the property of their respective owners. Savin products and services are offered by Ricoh USA, Inc. and its affiliates. The content of this document, and the appearance, features and specifications of Savin products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will wary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Savin products and services are as set forth in the express warranty statements accompanying them Sa871-2 \$3871-2



15.75" x 20.28" x 4.8" (400 x 515 x 123 mm)

15.75" x 20.28" x 10.04" (400 x 515 x 255 mm)

15.75" x 20.28" x 18.31"

(400 x 515 x 465 mm)

24.25 lbs (11 kg)

13.4 lbs (6.1 kg)

15.4 lbs (7 kg)